

# TLR-200

## Thulium CW Fiber Laser

**NEW PRODUCT**



### Applications

- ▶ Medical Treatment
- ▶ Medical Surgery
- ▶ Plastic Materials Processing
- ▶ Other Non-metal Materials Processing
- ▶ Solid State IR Laser Pumping
- ▶ Pollution Control



### Features

- ▶ Compact Size
- ▶ High Wall-plug Efficiency
- ▶ Beam Quality  $M^2 < 1.1$  for Single-mode Version
- ▶ Wide Selection of Wavelengths
- ▶ Advantage over CO<sub>2</sub> & Ho:YAG
- ▶ Cost-effective, Compact OEM Solution

IPG Photonics' Thulium Fiber Laser Systems are developed specifically to meet the growing demands of the industrial, medical and R&D markets for high power, compact, efficient, wavelength-selectable, single-mode CW sources of the spectral range of 1800 to 2100 nm. First manufactured in 1999, these laser systems have been field tested and deployed in a variety of R&D and medical applications. Now with higher powers and new options, the TLR Series provides the ideal solution for both laboratory, medical and industrial market segments.

# TLR-200

## Thulium CW Fiber Laser

### Optical Characteristics

Central Wavelength Range <sup>1</sup> , nm	1900-2000, typ. 1940
Linewidth FWHM, nm	0.7
Mode of Operation	CW/ Modulated
Modulation Frequency, kHz	up to 1
Average Power, W	200
Power Tunability, %	10-100
Power Stability <sup>2</sup> , %	±1
Optical Noise <sup>3</sup> , % RMS	1
Fiber Options	Single-mode, 50 μm, 100 μm
Beam Quality (Single-mode), M <sup>2</sup>	TEM <sub>00</sub> , <1.1



<sup>1</sup> Custom central wavelengths are available upon request

<sup>2</sup> Over 4 hours, T=const

<sup>3</sup> 10 kHz - 20 MHz

### General Characteristics

Dimensions, mm	448 x 677 x 177
Cooling	Water-cooled
Supply Voltage, VDC	200-240, 50-60 Hz
Power Consumption, W	2000



+1 (508) 373-1100  
 sales.us@ipgphotonics.com  
[www.ipgphotonics.com](http://www.ipgphotonics.com)

**Legal notices:** All product information is believed to be accurate and is subject to change without notice. Information contained herein shall legally bind IPG only if it is specifically incorporated into the terms and conditions of a sales agreement. Some specific combinations of options may not be available. The user assumes all risks and liability whatsoever in connection with use of a product or its application. IPG, IPG Photonics, The Power to Transform and IPG Photonics' logo are trademarks of IPG Photonics Corporation. © 2014 IPG Photonics Corporation. All rights reserved.

